

All programs are available to business customers of Alliant Energy in Iowa. Programs are valid January 1, 2022, through December 31, 2022, and are subject to change. Alliant Energy must provide the main source of energy for qualifying equipment. Rebate amount is limited to 50% of equipment purchase price.

Rebates are issued on a first-come, first-served basis. Rebates and incentives are offered until approved funds are exhausted or through December 31, 2022, whichever comes first. Submission of claim form does not guarantee payment. Alliant Energy reserves the right to modify or end this rebate program at any time without prior notice.

**Electric customers** – Each customer Tax ID number is subject to a possible incentive cap limited to \$250,000 in total incentives from the non residential portfolio per calendar year.

**Natural gas customers** – Each customer Tax ID number is subject to a possible incentive cap limited to \$25,000 in total incentives from the non residential portfolio per calendar year.

Tax ID numbers are required for all business customers submitting rebate forms.

New construction is defined as a building completed any time during the most recent five calendar years, including the current calendar year.



### Lighting

Program/equipment	Qualification (additional information on claim forms)	Rebate
<b>Screw-in LED bulbs</b>	CEE Tier 2, ENERGY STAR® v2.1 or Design Lights Consortium (DLC) qualified.  Bulbs purchased from the Be Bright program do not qualify.  Must be rated 6,000 lumens or less.	\$1/bulb
<b>Specialty LED bulbs</b> Includes three-way, globe and decorative	ENERGY STAR v2.1 or Design Lights Consortium (DLC) qualified.  Bulbs purchased from the Be Bright program do not qualify.  Must be rated 4,500 lumens or less.	\$1/bulb
<b>LED exit sign</b>	Must replace non-LED exit signs, ≤ 5 watts.	\$5/fixture
<b>LED downlight fixtures</b> LED recessed, surface and pendant fixtures	Must be ENERGY STAR or DesignLights Consortium approved. Must be directional downlight fixture. Must be complete fixture, bulb only products are not eligible.	\$15/fixture
<b>LED interior directional</b> Track lighting, wall-wash fixtures	Must be ENERGY STAR or DesignLights Consortium approved. Must be interior directional tracklighting or wall-wash fixture. Must be complete fixture, bulb only products are not eligible.	\$20/fixture
<b>LED display cases</b> LED display case light fixture LED under-cabinet shelf-mounted task light fixtures  LED refrigerated case light, horizontal or vertical  LED freezer case light, horizontal or vertical	Must be DesignLights Consortium approved.  Refrigerated and freezer case lights must be installed on refrigerated or freezer cases.	\$2/linear foot
<b>Refrigeration case lighting motion sensor control</b>	Must be installed on commercial glass-door, reach-in coolers and freezers.	\$25/control
<b>T8/T12 LED linear replacement lamps</b>	Must be DesignLights Consortium approved.	
	< 1,200 lumens	\$5/lamp
	1,200 - 2,400 lumens	\$5/lamp
	2,401 - 4,000 lumens	\$5/lamp

**All lighting rebates qualify for existing buildings only. New construction does not qualify. Equipment that does not fit the above criteria may be eligible for rebates via the Custom Rebates program. Pre-approval is required. Call 1-866-255-4268 prior to purchase and installation.**



## Lighting (cont.)

Program/equipment	Qualification (additional information on claim forms)	Rebate
<b>LED troffers: recessed light fixtures</b>	Must be DesignLights Consortium approved.	
	2x2 2,000 - 3,500 lumens	\$25/fixture
	2x2 3,501 - 5,000 lumens	\$35/fixture
	2x4 3,000 - 4,500 lumens	\$30/fixture
	2x4 4,501 - 6,000 lumens	\$40/fixture
	2x4 6,001 - 7,500 lumens	\$50/fixture
	1x4 1,500 - 3,000 lumens	\$10/fixture
	1x4 3,001 - 4,500 lumens	\$30/fixture
	1x4 4,501 - 6,000 lumens	\$40/fixture
<b>LED surface and suspended linear fixtures</b>	Must be DesignLights Consortium approved.	
	≤ 3,000 lumens	\$5/fixture
	3,001 - 4,500 lumens	\$25/fixture
	4,501 - 6,000 lumens	\$40/fixture
	6,001 - 7,500 lumens	\$65/fixture
	7,501 - 15,000 lumens	\$85/fixture
<b>LED low bay fixtures</b>	Must be DesignLights Consortium approved. ≤ 10,000 lumens	\$20/fixture
<b>LED high bay fixtures</b>	Must be DesignLights Consortium approved.	
	10,001 - 15,000 lumens	\$70/fixture
	15,001 - 20,000 lumens	\$100/fixture
	≥ 20,001 lumens	\$130/fixture
<b>LED exterior fixtures</b>	Must be DesignLights Consortium approved.	
	≤ 5,000 lumens	\$20/fixture
	5,001 - 10,000 lumens	\$50/fixture
	10,001 - 15,000 lumens	\$100/fixture
	≥ 15,001	\$150/fixture
<b>Daylighting controls</b>	Fixture-mounted	\$20/control
	Remote-mounted	\$25/control
<b>Occupancy sensor</b>	Switch (wall) mounted	\$20/control
	Fixture-mounted	\$25/control
	Remote (ceiling) mounted	\$40/control
<b>Dual occupancy and daylighting controls</b>	Integrated	\$20/control
	Fixture-mounted	\$25/control
	Remote-mounted	\$40/control

All lighting rebates qualify for existing buildings only. New construction does not qualify. Equipment that does not fit the above criteria may be eligible for rebates via the Custom Rebates program. Pre-approval is required. Call 1-866-255-4268 prior to purchase and installation. All lighting equipment must be installed to qualify for a rebate.



## Heating and cooling

Equipment must be listed in the current AHRI or ENERGY STAR® directories.

Program/equipment	Qualification (additional information on claim forms)	Existing buildings rebate	New construction rebate
<b>Natural gas boiler</b> Must be listed in AHRI directory.	<300 MBTUH, ≥ 90% AFUE	\$700/unit	\$420/unit
	<300 MBTUH, ≥ 94% AFUE or greater	\$900/unit	\$540/unit
	300-499 MBTUH, >90% Et	\$1,500/unit	\$900/unit
	500-999 MBTUH, >90% Et	\$2,500/unit	\$1,500/unit
	1,000-1,699 MBTUH, >90% Et	\$3,000/unit	\$3,000/unit
	1,700-2,500 MBTUH, >90% Et	\$4,500/unit	\$4,500/unit
<b>Natural gas furnace</b> Maximum BTUH 225,000 Must be listed in AHRI directory.	Furnace ≥ 94% AFUE	\$180/unit	\$110/unit
	Furnace ≥ 96% AFUE	\$220/unit	\$135/unit
<b>Electric HVAC system tuneup</b>	Maximum of one tuneup rebate every three years per piece of equipment.	\$10/ton	NA
<b>Air conditioner</b> < 65,000 BTUH Must be listed in AHRI directory. Split-system or single-package eligible.	SEER/EER 15.0/12.5	\$150/unit	\$90/unit
	SEER/EER 16.0/13.0	\$300/unit	\$180/unit
	SEER/EER 18.0/14.0	\$600/unit	\$360/unit
<b>Premium efficiency air conditioner</b> ≥ 65,000 BTUH and < 760,000 BTUH Must be listed in AHRI directory. ≥ 760 MBTUH; for rebates via the Custom Rebates program. Pre-approval is required.	≥ 65 and < 135 MBTUH: minimum IEER - 14.6	\$50/ton	\$30/ton
	≥ 135 and < 240 MBTUH: minimum IEER - 14.0	\$50/ton	\$30/ton
	≥ 240 and < 760 MBTUH: minimum IEER - 13.1	\$15/ton	\$9/ton
<b>Ductless heat pump</b> Equipment ≥ 1 ton and < 5.4 tons Must be listed in AHRI directory.	Minimum SEER/EER 15/12 and minimum HSPF 8.5. Must heat and cool. Cooling only units are ineligible.	\$200/ outdoor unit	\$120/unit
<b>Variable refrigerant flow</b> Equipment ≥ 5.4 tons Must be listed in AHRI directory.	Minimum EER - 11.1 and minimum COP - 3.4	\$50/ton	\$30/ton
<b>Air-source heat pump</b> < 65 MBTUH Split-system or single-package eligible. Must be listed in AHRI directory.	Tier 1 SEER/EER 15.0/12.5 and HSPF 8.5	\$300/unit	\$180/unit
	Tier 2 SEER/EER 16.0/13.0 and HSPF 9.0	\$500/unit	\$300/unit
	Tier 3 SEER/EER 18.0/13.0 and HSPF 10.0	\$800/unit	\$480/unit

Equipment that does not fit the above criteria may be eligible for rebates via the Custom Rebates program. Pre-approval is required. Call 1-866-255-4268 prior to purchase and installation.

New construction is defined as a building completed any time during the most recent five calendar years, including the current calendar year.

All existing buildings and new construction buildings less than 5,000 square foot are eligible. New construction buildings greater than 5,000 square feet are not eligible for prescriptive rebates and should apply for the Commercial New Construction program prior to purchase and install.



## Heating and cooling (cont.)

Program/equipment	Qualification (additional information on claim forms)	Existing buildings rebate	New construction rebate
<b>Premium-efficiency air-source heat pump</b> ≥ 65,000 BTUH and < 760,000 BTUH Must be listed in AHRI directory.	≥ 65 and < 135 MBTUH Minimum IEER - 13.8 and minimum COP - 3.4	\$60/ton	\$36/ton
	≥ 135 and < 240 MBTUH Minimum IEER - 13.1 and minimum COP - 3.2	\$40/ton	\$24/ton
	≥ 240 and < 760 MBTUH Minimum IEER - 12.0 and minimum COP - 3.2	\$40/ton	\$24/ton
	≥ 760 MBTUH; eligible for Custom Rebates and requires pre-approval prior to purchase and installation	Custom	Custom
<b>Geothermal heat pump</b> Maximum 20 tons. Must be listed in AHRI directory. Systems over 20 tons may be eligible for rebates via the Custom Rebates program. Pre-approval is required. Call 1-866-255-4268 prior to purchase and installation. One geothermal rebate per well field. Must be new geothermal system (including equipment and ground loop).	Must meet efficiency requirements listed on ENERGY STAR®.	\$800/ton	\$480/ton
	Must meet efficiency requirements listed on ENERGY STAR, must be variable speed.	\$1,200/ton	\$720/ton
<b>Desuperheater</b>	Must be an Alliant Energy electric customer with new geothermal system and electric water heater or an Alliant Energy electric and natural gas customer with new geothermal system and natural gas water heater. Retrofit applications not eligible and must be combined with new geothermal heat pump rebate.	\$150/unit	NA
<b>Package terminal heat pump</b> Must be listed in the AHRI directory. EER and COP requirements depend on the BTUH.	Minimum EER efficiency of: <8,000 BTUH = 12.6 EER, COP 3.5 8,000 – 9,999 BTUH = 12.1 EER, COP 3.5 10,000 – 11,999 BTUH = 11.4 EER, COP 3.3 12,000 – 13,999 BTUH = 10.7 EER, COP 3.1 ≥ 14,000 BTUH = 10.4 EER, COP 3.1	\$40/unit	\$24/unit
<b>Package terminal air conditioner</b> Must be listed in the AHRI directory. EER and COP requirements depend on the BTUH.	Minimum EER efficiency of: <8,000 BTUH = 12.6 EER 8,000 – 9,999 BTUH = 12.1 EER 10,000 – 11,999 BTUH = 11.4 EER 12,000 – 13,999 BTUH = 10.7 EER ≥14,000 BTUH = 10.4 EER	\$40/unit	\$24/unit

Equipment that does not fit the above criteria may be eligible for rebates via the Custom Rebates program. Pre-approval is required. Call 1-866-255-4268 prior to purchase and installation.

New construction is defined as a building completed any time during the most recent five calendar years, including the current calendar year.

All existing buildings and new construction buildings less than 5,000 square foot are eligible. New construction buildings greater than 5,000 square feet are not eligible for prescriptive rebate and should apply for the Commercial New Construction program prior to purchase and install.



## Heating and cooling (cont.)

Program/equipment	Qualification (additional information on claim forms)	Existing buildings rebate	New construction rebate
<b>Chillers</b> Must be listed in the AHRI directory. The chiller efficiency rating must be based on ASHRAE 90.1 - 2007 chiller efficiency standards.	Water-cooled positive displacement/reciprocating Size tons < 150: full load-kW/ton $\leq$ 0.738 IPLV - kW/ton $\leq$ 0.586 Size tons $\geq$ 150 and < 300: full load - kW/ton $\leq$ 0.648 IPLV - kW/ton $\leq$ 0.552 Size tons $\geq$ 300: full load - kW/ton $\leq$ 0.59 IPLV - kW/ton $\leq$ 0.514	\$10/ton	\$6/ton
	Water-cooled centrifugal Size tons < 300: full load - kW/ton $\leq$ 0.604 IPLV - kW/ton $\leq$ 0.568 Size tons $\geq$ 300 and < 600: full load - kW/ton $\leq$ 0.549 IPLV - kW/ton $\leq$ 0.523 Size tons $\geq$ 600: full load - kW/ton $\leq$ 0.543 IPLV - kW/ton $\leq$ 0.513	\$20/ton	\$12/ton
	Air-cooled centrifugal Size tons < 150: full load - EER $\geq$ 10.04 IPLV - EER $\geq$ 13.125 Size tons $\geq$ 150: full load - EER $\geq$ 10.04 IPLV - EER $\geq$ 13.388	\$30/ton	\$18/ton

Equipment that does not fit the above criteria may be eligible for rebates via the Custom Rebates program. Pre-approval is required. Call 1-866-255-4268 prior to purchase and installation.

New construction is defined as a building completed any time during the most recent five calendar years, including the current calendar year.

All existing buildings and new construction buildings less than 5,000 square foot are eligible. New construction buildings greater than 5,000 square feet are not eligible for prescriptive rebate and should apply for the Commercial New Construction program prior to purchase and install.



## Water heating

Program/equipment	Qualification (additional information on claim forms)	Rebate
<b>Heat pump water heater</b> AHRI certified; ENERGY STAR®	UEF $\geq$ 3.3 for Integrated HPWH UEF $\geq$ 2.2 for Integrated HPWH, 120V/15A Circuit UEF $\geq$ 2.2 for Split-System HPWH	\$300/unit



## Food service equipment

Only new equipment qualifies.

Program/equipment	Qualification (additional information on claim forms)	Rebate
<b>Refrigerator, glass door</b>	ENERGY STAR	\$25/unit
<b>Freezers, glass door</b>	ENERGY STAR	\$75/unit
<b>Refrigerator, solid door</b>	ENERGY STAR	\$25/unit
<b>Freezer, solid door</b>	ENERGY STAR	\$75/unit



## Motors and variable frequency drives

Program/equipment	Qualification (additional information on claim forms)	Rebate
<b>Motor</b>	Ultra-premium rated, 1-350 HP	See chart
<b>Variable frequency drives</b> VFD for HVAC pumps and cooling tower fans VFD for HVAC supply and return fans VFD for process	Must control a motor 1-100 HP. Must be a new installation. Replacement of an existing drive, regardless of whether unit is working or failed, does not qualify for rebate.	\$30 per HP controlled

All motors and variable frequency drive rebates qualify for existing buildings only. New construction does not qualify.

Horsepower (hp)	RPM	Open drip proof (ODP)		Totally enclosed fan cooled	
		Minimum efficiency (%)	Rebate (\$)	Minimum efficiency (%)	Rebate (\$)
1	3600	84.0%	\$50	84.0%	\$60
1	1800	86.5%	\$25	86.5%	\$45
1	1200	84.0%	\$25	84.0%	\$45
1.5	3600	85.5%	\$50	85.5%	\$30
1.5	1800	87.5%	\$40	87.5%	\$55
1.5	1200	87.5%	\$40	88.5%	\$30
2	3600	86.5%	\$30	86.5%	\$45
2	1800	87.5%	\$30	87.5%	\$65
2	1200	88.5%	\$30	89.5%	\$45
3	3600	86.5%	\$40	87.5%	\$80
3	1800	90.2%	\$40	90.2%	\$65
3	1200	89.5%	\$55	90.2%	\$80
5	3600	89.5%	\$70	89.5%	\$60
5	1800	90.2%	\$50	90.2%	\$70
5	1200	90.2%	\$50	90.2%	\$115
7.5	3600	89.5%	\$115	90.2%	\$90
7.5	1800	91.7%	\$90	92.4%	\$80
7.5	1200	91.7%	\$155	91.7%	\$170
10	3600	90.2%	\$55	91.0%	\$100
10	1800	92.4%	\$125	92.4%	\$100
10	1200	92.4%	\$200	91.7%	\$200
15	3600	91.0%	\$130	91.7%	\$195
15	1800	93.6%	\$130	93.0%	\$100
15	1200	92.4%	\$245	92.4%	\$230
20	3600	91.7%	\$120	92.4%	\$250
20	1800	93.6%	\$145	93.6%	\$150
20	1200	93.0%	\$245	92.4%	\$325

1200 RPM (Range 1050-1500 RPM) • 1800 RPM (Range 1501-2700 RPM) • 3600 RPM (Range 2701-4500 RPM)

Horsepower (hp)	RPM	Minimum efficiency (%)	Rebate (\$)	Minimum efficiency (%)	Rebate (\$)
25	3600	93.0%	\$260	92.4%	\$250
25	1800	94.1%	\$155	94.5%	\$250
25	1200	93.6%	\$150	94.1%	\$250
30	3600	92.4%	\$300	92.4%	\$250
30	1800	94.6%	\$150	94.1%	\$250
30	1200	94.1%	\$150	93.6%	\$320
40	3600	93.0%	\$260	93.0%	\$265
40	1800	94.5%	\$220	94.5%	\$275
40	1200	94.5%	\$240	94.5%	\$480
50	3600	93.6%	\$150	93.6%	\$390
50	1800	95.0%	\$130	95.0%	\$375
50	1200	94.5%	\$240	94.5%	\$530
60	3600	94.1%	\$155	94.1%	\$390
60	1800	95.4%	\$255	95.8%	\$480
60	1200	95.0%	\$280	95.0%	\$565
75	3600	94.1%	\$390	94.5%	\$720
75	1800	95.4%	\$320	95.8%	\$720
75	1200	95.0%	\$390	95.0%	\$720
100	3600	94.5%	\$730	94.5%	\$870
100	1800	95.8%	\$395	95.8%	\$805
100	1200	95.4%	\$395	95.4%	\$1,230
125	3600	94.5%	\$445	95.4%	\$595
125	1800	95.8%	\$500	95.8%	\$875
125	1200	95.4%	\$470	95.4%	\$780
150	3600	94.5%	\$330	95.8%	\$1,200
150	1800	96.2%	\$315	96.2%	\$1,050
150	1200	95.8%	\$625	96.2%	\$1,465
200	3600	95.4%	\$625	95.8%	\$880
200	1800	96.2%	\$540	96.5%	\$905
200	1200	95.8%	\$980	96.2%	\$1,130
250	3600	95.0%	\$975	95.8%	\$1,700
250	1800	95.8%	\$1,650	96.2%	\$1,650
250	1200	95.8%	\$1,650	95.8%	\$1,700
300	3600	95.4%	\$1,200	95.8%	\$1,890
300	1800	95.8%	\$1,440	96.2%	\$1,740
300	1200	95.8%	\$1,440	95.8%	\$2,670
350	3600	95.4%	\$1,400	95.8%	\$2,205
350	1800	95.8%	\$1,540	96.2%	\$2,065
350	1200	95.8%	\$1,540	95.8%	\$2,380



## Refrigeration

Program/equipment	Qualification (additional information on claim forms)	Rebate
<b>Anti-sweat heater control</b>	Must sense the relative humidity in the air surrounding the display case and reduce or turn off the anti-sweat heaters on the glass door (if applicable) and door frame during periods of low humidity.	\$35/unit
<b>ECM motor for refrigerated display cases and walk-in unit</b>	Must replace existing standard efficiency shaded-pole or permanent split capacitor evaporator fan motors in refrigerated display cases and walk-in coolers.	\$100/unit
<b>Evaporator fan controller for walk-in unit</b>	Existing condition must be a reach-in or walk-in freezer or cooler with continuously running evaporator fans driven by electrically commutated motors or Q-Sync motors.  Must control a minimum of 16 watts where fans operate continuously at full speed.  Limited to motors that are rated equal to or less than 3/4 HP output capacity.  Must reduce fan motor power by at least 75% when the compressor(s) cycle off.	\$70/unit
<b>Walk-in refrigerator or freezer auto-door closer</b>	Must be able to firmly close the door when it is within one inch of full closure.  Door must have minimum perimeter of 16 feet.	\$60/unit
<b>Night cover for display case</b>	Must be retractable covers installed on existing open-type, commercial refrigerated or freezer display cases. Existing equipment is without night covers.	\$5/linear ft.
<b>Vending machine controller</b>	Vending Mi\$er or comparable brand.  For indoor machines that dispense non-perishable cold beverages only. Only eligible for non-ENERGY STAR qualified vending machines.	\$50/unit
<b>Refrigeration tuneup (non self-contained unit)</b> Including split systems, rack systems or similar	Must be performed by a U.S. EPA 608 Certified Service Provider.  Plug-in coolers, ice machines, HVAC equipment, refrigerated warehouses and ammonia systems are not eligible.	\$20/ton
<b>Refrigeration tuneup (self-contained units)</b> Including plug-in coolers, ice machines or similar	Must be performed by a U.S. EPA 608 Certified Service Provider.  HVAC equipment, refrigerated warehouses and ammonia systems are not eligible.	\$20/unit

**All refrigeration rebates qualify for existing buildings only. New construction does not qualify.**

**Equipment that does not fit the above criteria may be eligible for rebates via the Custom Rebates program. Pre-approval is required. Call 1-866-255-4268 prior to purchase and installation.**





## Other programs

Program/equipment	Qualification (additional information on claim forms)	Rebate
<b>Appliance Recycling</b>	Working refrigerators, freezers Motor must run and unit must cool. Must be between 10 and 30 cubic feet. No commercial sized equipment.	Refrigerator or freezer \$50 each
<b>Energy Audit</b>	Customer must receive primary heating or cooling energy from Alliant Energy. Building must be 20,000 sq ft or larger.	No charge
<b>Commercial New Construction</b>	For new construction, additions or major renovation projects. Electric customers only. Customers must call 1-866-ALLIANT before design development.	Rebate varies by project
<b>Custom projects</b>	Energy-efficient equipment that uses energy from Alliant Energy and is not covered under the rebate programs listed can be reviewed for rebate eligibility through the Custom Rebates program. Projects must be pre-approved prior to purchase and installation. Call 1-866-ALLIANT to speak to a key account manager for details.	Rebate varies by project
<b>Small Business Energy Solutions</b>	Lighting and refrigeration upgrades. Receive electric service from Alliant Energy with an annual electric billing of less than \$100,000. Occupy less than 50,000 square feet.	\$0.14/kWh saved, up to 70% of project cost



For more information, please call  
**1-866-ALLIANT (866-255-4268), option 2**  
8 a.m. to 5 p.m. Monday - Friday  
or visit [alliantenergy.com/rebates](https://alliantenergy.com/rebates).

By participating in Alliant Energy's energy efficiency programs, you agree to the Terms and Conditions available at [alliantenergy.com/termsandconditions](https://alliantenergy.com/termsandconditions) and Alliant Energy's Privacy Policy, available at [alliantenergy.com/privacy](https://alliantenergy.com/privacy).